

TTOM PAINT



Top Performing Dual-Biocide Antifouling



Certified

Biocop TF[™]



- Maximum protection available for fresh, brackish and saltwater
- Multi-season protection
- ▶ 38.06% Cuprous Oxide



Lloyd's Registry certified Compare with: Micron 66**



Gray 1231-1

Green 1234-1

Teal 1235-1

Self-Polishing Copolymer Antifouling



Cukote™

AF-33™


available

and rolling ability

Lloyd's Registry certified

- Semi-hard, self-polishing ablative finish Multi-season protection
- ▶ 47.57% Cuprous Oxide
- Lloyd's Registry certified

Compare with: Micron CSC**, ACP 50*, ACP 60*



Slime Reducing Additive for Copper-Based Antifouling



Biocop TF[™] Pint

Boosts Sea Hawk copper-based antifouling to add a more powerful **DUAL-BIOCIDE** Protection

Compatible with AF-33, Cukote, Sharkskin, Talon and Tropikote

- Zinc Technology
- Dual biocide PL3 release technology




= Biocop TF Slime-Reducing Additive Compatible



Llovd's Register

Certified



Harder, self-polishing ablative finish Exceptional value multi-season coating

33.6% Cuprous Oxide – highest grade

Consistent viscosity providing better flow

Compare with: ACT**, Micron CSC**, Ultima SSA*



*Warranty details can be found online at www.SeaHawkPaints.com

Variance in the printing process can affect the representations of our actual paint colors.





BOTTOM PAINT OVER 35YEARS BUYING GUIDE Hand Crafted in America!

Hard Modified Epoxy Antifouling





Sharkskin™

- High performance hard modified epoxy 45.2% Cuprous Oxide
- Consistent viscosity providing better flow and rolling ability




Single Season Semi-Hard Hybrid Ablative Antifouling



Unepoxy*, Z Spar

Protector

Talon™



Black 6045



Red 6041

Blue 6042 Green 6043

Dark Blue 6030

Water-Based Antifouling



Monterev[™]



Dark Blue 5430 Black 5445

Copper-Free Antifouling



Mission Bay[™]

- Self-polishing ablative: no barrier coat needed over most antifouling paint
- Environmentally-friendly, non-metal biocide
- Helps prevent electrolysis
- ▶ 3.8% Zinc Omadine
- Lloyd's Registry certified





"We build between 450 and 500 boats a year, ranging from 35 to 60 ft. Since we started shipping our boats with Sea Hawk antifouling in 1998, the number of bottom paint complaints from our dealers has essentially dropped to zero. That's unheard of in the boating business."

- Ray Gilles, Director of Customer Service, Carver Yachts

Copper-Free Water-Based Antifouling

Mission Bay CSF[™]

Water-based self-polishing ablative High-performance eco-friendly antifoulant

Over 80% lower VOC's than solvent-based antifoulants

Bright Blue 4502 Bright Green 4503 Bright White 4510

- No barrier coat needed over
- most antifouling paints
- ▶ 4.02% Zinc Omadine

Primer Systems



Tuff Stuff[™]

- Highest build epoxy primer Sheet Silicate Technology
- Low odor during application
- ▶ All-in-one osmosis protection ▶ 1:1 two-part ratio for easy mixing
- Compare with: Interprotect**, Pettit Protect 4700*

Available in 2-gallon kit or 1/2-gallon kit.

Grev 1284 White 1285

Premium Blister Protection with Microsheet Silicate Technology



Tuff Stuff[™] Low VOC

- Highest build low VOC epoxy primer Complies with strict VOC limits set by the California Air Quality Management Board
- Low VOC's (280 grams/liter)
- ▶ 1:1 two-part ratio for easy mixing Compare with: Interprotect**, Pettit Protect 4700*

Available in 1-gallon kit

Grey 1286 White 1287

Premium Blister Protection with Microsheet Silicate Technology and Low VOC Emissions During Application

1277 Bottom Paint Primer

- Anti-corrosive bottom paint primer
- Ideal for priming any unknown antifoulant
- Improves adhesion
- Indefinite overcoat window
- Spot primer
- Compare with: Primocon**, Tie Coat 6627*

SHAWKOCON™

- Conversion/barrier/sealer coating over TBT antifoulings or any unknown well-adhered antifoulant paint and promotes adhesion of a new antifouling paint
- Excellent barrier coat to reduce pitting of underwater metals from galvanic corrosion on running gear, lower units of outboards, keels, pontoons, and I/O's
- Prevents bleeding of color from underlying antifouling paint

Compare with: Primocon**, Tie Coat 6627*



R

Certified

Lloyd's


Also available

in 4500 series

water-based

formula

Ideal for all types of vessels Black 4505







Marine Paint Stripper 1280

- Removes many types of paints and varnishes, including copper-based
- Excellent for removing bottom paint
- Environmentally safe, biodegradable. nonflammable, low odor, cleanup with water
- ▶ No methylene chloride or other harsh solvents
- ▶ Will not damage gel coat or fiberglass
- Does not pit or corrode aluminum or other metals
- Safe on all wood surfaces

Barnacle Blocker

- Self-cleaning anti-corrosive primer
- Use on underwater metals
- Excellent water barrier
- Reduces galvanic corrosion

OVER YEARS Hand Crafted in America !

Compatibility Chart				
Previous Phriicoulling New	ISLANDS 44 PLUS BIOTIN PLUS BIOCOP	AF 33 BIOCOP TF CUKOTE BIOCIDE PLUS ACT, ACT w/Irgarol** Aquaguard Bottomkote Pro** Micron: Extra, 66, CSC, CSC HS, CF, Optima** Pacifica® Plus	ISLANDS 77 PLUS MISSION BAY ECO KOTE MONTEREY MISSION BAY CSF SMART SOLUTION Horizons* Hydracoat, SR, Eco* Ultima, SR, SSA, Eco* Ultima, SR, SSA, Eco* Vivid, Vivid Free* Trilux 33, Aerosol** Fiberglass Bottomkote Aqua**	SHARKSKIN TROPIKOTE BIOCIDE PLUS TALON Fiberglass Bottomkote NT** Ultra, Ultrakote** Protector* Trinidad (All)* Unepoxy (All)*
Hard Modified Epoxy SHARKSKIN TROPIKOTE TROPIKOTE BIOCIDE PLUS TALON			Solow.	Y
Self-Polishing/Ablative AF 33 CUKOTE CUKOTE BIOCIDE PLUS ISLANDS 77 PLUS MISSION BAY SMART SOLUTION Low-VOC Self-Polishing		C		
ECO KOTE MONTEREY Advanced Self-Polishing Biocide BIOCOP TF ISLANDS 77 PLUS Tin Based				
ISLANDS 44 PLUS BIOTIN PLUS				
Compatibility	Chart Legend		 Products noted as such are registered Trademarks of, or sold by Pettit (KopCoat), and or RPM International, Inc. 	
Heavily sand and apply paint			** Products noted as such are registered Trademarks of or sold by Interlux, and or	



Lightly sand and apply 1277 Barrier Coat Primer or 1283 Island Prime before applying paint ** Products noted as such are registered Trademarks of, or sold by Interlux, and or Akzo Nobel.

Amount of Paint Needed per Coat			
Boat Length (Feet)	Per Coat		
20-25	3 Quarts		
25-30	1 Gallon		
30-32	1 Gallon + 1 Quart		
33-37	1 Gallon + 2 Quarts		
38-40	1 Gallon + 3 Quarts		
41-42	2 Gallons		
43-44	2 Gallons + 1 Quart		
45-46	2 Gallons + 2 Quarts		
47-49	2 Gallons + 3 Quarts		
50-52	3 Gallons		
53-55	3 Gallons + 1 Quart		
56-59	3 Gallons + 2 Quarts		

* Amounts are estimates and may vary by boat and bottom paint applied. Please see product technical data sheets for exact coverage.



 "We selected Sea Hawk bottom paint for all our vessels for many reasons. Not only does it have superior antifouling qualities, but its moisture barrier primers and adhesion properties are superior. On-time shipments are critical to us. And Sea Hawk products are always here when we need them."
 Bob Weidhaas, COO, Egg Harbor Yachts

NEW NAUTICAL COATINGS, INC. 14805 49th Street North • Clearwater, Florida 33762 800.528.0997 U.S.A. Only • 727.523.8053 International • Fax 727.523.7325 Email: ContactUs@SeaHawkPaints.com

www.SeaHawkPaints.com

