

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Tuff Stuff 1286 Gray Low VOC

Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

New Nautical Coatings, Inc.
Sea Hawk Premium Yacht Finishes
14805 49th Street North
Clearwater, FL 33762
USA Only: 1-800-528-0997
International: (727) 523-8053

1.4. Emergency telephone numbers

Emergency number : CHEMTREC day or night inside USA & Canada
1-800-424-9300
: CHEMTREC day or night outside USA & Canada
+1-703-741-5970
: Poison Control Center
1-800-222-1222

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 3 H226
Skin Irrit. 2 H315
Eye Irrit. 2A H319
Skin Sens. 1 H317
Carc. 2 H351
STOT RE 2 H373
Aquatic Acute 2 H401
Aquatic Chronic 2 H411

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

H226 - Flammable liquid and vapor
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposure
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/lighting/ equipment
P242 - Use only non-sparking tools

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P243 - Take precautionary measures against static discharge
P260 - Do not breathe dust, fume, mist, spray, vapors
P261 - Avoid breathing dust, fume, gas, mist, spray, vapors
P264 - Wash hands, forearms and face thoroughly after handling
P272 - Contaminated work clothing must not be allowed out of the workplace
P273 - Avoid release to the environment
P280 - Wear eye protection, protective gloves, protective clothing
P302+P352 - If on skin: Wash with plenty of soap and water
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 - If exposed or concerned: Get medical advice/attention
P314 - Get medical advice/attention if you feel unwell
P321 - Specific treatment (see first aid instructions on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P370+P378 - In case of fire: Use carbon dioxide, dry powder, alcohol resistant foam, or sand to extinguish
P391 - Collect spillage
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % |
|--|---------------------|-----------|
| Bisphenol A diglycidyl ether - bisphenol A copolymer | (CAS No) 25036-25-3 | 15 - 40 |
| Xylenes (o-, m-, p- isomers) | (CAS No) 1330-20-7 | 25 - 40 |
| 4-chlorobenzotrifluoride | (CAS No) 98-56-7 | 15-20 |
| Titanium dioxide | (CAS No) 13463-67-7 | 7 - 13 |
| Trizinc diphosphate | (CAS No) 7779-90-0 | 7 - 13 |
| Ethylbenzene | (CAS No) 100-41-4 | 5 - 10 |
| Silane, dichlorodimethyl-, reaction products with silica | (CAS No) 68611-44-9 | 1 - 5 |
| Methyl isobutyl ketone | (CAS No) 108-10-1 | 1 - 5 |
| Phosphoric acid, barium salt (2:3) | (CAS No) 13517-08-3 | 0.5 - 1.5 |

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.

First-aid measures after skin contact

: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.

First-aid measures after eye contact

: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.

First-aid measures after ingestion

: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries

: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation

: May cause respiratory irritation.

Symptoms/injuries after skin contact

: Causes skin irritation. May cause an allergic skin reaction.

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|-------------------------------------|---|
| Symptoms/injuries after eye contact | : Causes serious eye irritation. |
| Symptoms/injuries after ingestion | : May cause gastrointestinal irritation. |
| Chronic symptoms | : Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Alcohol-resistant foam. Sand.

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|--|
| Fire hazard | : Flammable liquid and vapor. |
| Explosion hazard | : No data available. |
| Reactivity | : No dangerous reactions known under normal conditions of use. |

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Protective equipment | : Wear Protective equipment as described in Section 8. |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency. |
|----------------------|---|

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Exclude sources of ignition and ventilate the area. Waste from this product may be hazardous as defined under RCRA (40 CFR 261). |

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Containers of this material may be hazardous when emptied. . Do not breathe mist, spray. |
|-------------------------------|---|

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|--|
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. |
|--------------------|--|

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Bisphenol A diglycidyl ether - bisphenol A copolymer (25036-25-3) | |
|--|---|
| Remark (ACGIH) | OELs not established |
| Remark (OSHA) | OELs not established |
| Xylenes (o-, m-, p- isomers) (1330-20-7) | |
| ACGIH TWA (ppm) | 100 ppm |
| ACGIH STEL (ppm) | 150 ppm |
| OSHA PEL (TWA) (mg/m ³) | 435 mg/m ³ |
| OSHA PEL (TWA) (ppm) | 100 ppm |
| OSHA PEL (STEL) (mg/m ³) | 655 mg/m ³ |
| OSHA PEL (STEL) (ppm) | 150 ppm |
| Ethylbenzene (100-41-4) | |
| ACGIH TWA (ppm) | 20 ppm |
| Remark (ACGIH) | upper respiratory tract irritation; kidney damage (nephropathy); cochlear impairment |
| OSHA PEL (TWA) (mg/m ³) | 435 mg/m ³ |
| OSHA PEL (TWA) (ppm) | 100 ppm |
| OSHA PEL (STEL) (mg/m ³) | 545 mg/m ³ |
| OSHA PEL (STEL) (ppm) | 125 ppm |
| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
| Remark (ACGIH) | OELs not established |
| Remark (OSHA) | OELs not established |
| Titanium dioxide (13463-67-7) | |
| ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ total dust |
| Trizinc diphosphate (7779-90-0) | |
| Remark (ACGIH) | OELs not established |
| Remark (OSHA) | OELs not established |
| Phosphoric acid, barium salt (2:3) (13517-08-3) | |
| Remark (ACGIH) | OELs not established |
| Remark (OSHA) | OELs not established |
| Methyl isobutyl ketone (108-10-1) | |
| ACGIH TWA (ppm) | 20 ppm |
| ACGIH STEL (ppm) | 75 ppm |
| OSHA PEL (TWA) (mg/m ³) | 410 mg/m ³ |
| OSHA PEL (TWA) (ppm) | 100 ppm |
| Toluene (108-88-3) | |
| ACGIH TWA (ppm) | 20 ppm |
| Remark (ACGIH) | Visual impair; female repro; |
| Benzene (71-43-2) | |
| ACGIH TWA (ppm) | 0.5 ppm |
| ACGIH STEL (ppm) | 2.5 ppm |
| OSHA PEL (TWA) (ppm) | 1 ppm |
| OSHA PEL (STEL) (ppm) | 5 ppm (see 29 CFR 1910.1028) |
| OSHA PEL (Ceiling) (ppm) | 25 ppm |
| Silica: Crystalline, quartz (14808-60-7) | |
| ACGIH TWA (mg/m ³) | 0.025 mg/m ³ (respirable fraction) |
| OSHA PEL (TWA) (mg/m ³) | (30)/(%SiO ₂ + 2) total dust; (10)/(%SiO ₂ + 2) respirable fraction |

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silica: Crystalline, quartz (14808-60-7)

OSHA PEL (TWA) (ppm)

(250)/(%SiO₂ + 5) respirable fraction

8.2. Exposure controls

- Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.
- Personal protective equipment : Gloves. Protective goggles. Protective clothing.



- Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. . Suitable gloves for this specific application can be recommended by the glove supplier.
- Eye protection : Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.
- Skin and body protection : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.
- Respiratory protection : Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Relative evaporation rate (butyl acetate=1) : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : 27.22 °C (81F)
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapor pressure : No data available
- Relative vapor density at 20 °C : No data available
- Relative density : No data available
- Specific gravity / density : 1.45 g/cm³
- Solubility : No data available
- Log Pow : No data available
- Log Kow : No data available
- Viscosity, kinematic : No data available
- Viscosity, dynamic : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Explosion limits : No data available

9.2. Other information

No additional information available

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Sparks. Heat. Open flame. Extremely high or low temperatures. Direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Xylenes (o-, m-, p- isomers) (1330-20-7) | |
|---|--------------------------------|
| LD50 oral rat | 3500 mg/kg |
| ATE CLP (dermal) | 1100.000 mg/kg body weight |
| ATE CLP (gases) | 4500.000 ppmV/4h |
| ATE CLP (vapors) | 11.000 mg/l/4h |
| ATE CLP (dust, mist) | 1.500 mg/l/4h |
| Ethylbenzene (100-41-4) | |
| LD50 oral rat | 3500 mg/kg |
| LD50 dermal rabbit | 15400 mg/kg |
| LC50 inhalation rat (mg/l) | 17.2 mg/l/4h |
| ATE CLP (gases) | 4500.000 ppmV/4h |
| ATE CLP (vapors) | 11.000 mg/l/4h |
| ATE CLP (dust, mist) | 1.500 mg/l/4h |
| Titanium dioxide (13463-67-7) | |
| LD50 oral rat | > 10000 mg/kg (Source: IUCLID) |
| Trizinc diphosphate (7779-90-0) | |
| LD50 oral rat | > 5000 mg/kg |
| Methyl isobutyl ketone (108-10-1) | |
| LD50 oral rat | 2080 mg/kg |
| LD50 dermal rabbit | 3000 mg/kg |
| ATE CLP (gases) | 4500.000 ppmV/4h |
| ATE CLP (vapors) | 11.000 mg/l/4h |
| ATE CLP (dust, mist) | 1.500 mg/l/4h |
| Toluene (108-88-3) | |
| LD50 oral rat | 2600 mg/kg |
| LD50 dermal rabbit | 12000 mg/kg |
| LC50 inhalation rat (mg/l) | 12.5 mg/l/4h |
| Benzene (71-43-2) | |
| LD50 dermal rabbit | > 8200 mg/kg |
| LC50 inhalation rat (mg/l) | 44.66 mg/l/4h (vapor) |
| Silica: Crystalline, quartz (14808-60-7) | |
| LD50 oral rat | 500 mg/kg |

Skin corrosion/irritation : Causes skin irritation.

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|-----------------------------------|--|
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Suspected of causing cancer. |

| | |
|---|--------------------------------------|
| Xylenes (o-, m-, p- isomers) (1330-20-7) | |
| IARC group | 3 - Not classifiable |
| Ethylbenzene (100-41-4) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| Titanium dioxide (13463-67-7) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| Methyl isobutyl ketone (108-10-1) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| Toluene (108-88-3) | |
| IARC group | 3 - Not classifiable |
| Benzene (71-43-2) | |
| IARC group | 1 - Carcinogenic to humans |
| National Toxicology Program (NTP) Status | 2 - Known Human Carcinogens |

| | |
|--|---|
| Silica: Crystalline, quartz (14808-60-7) | |
| IARC group | 1 - Carcinogenic to humans |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : May cause respiratory irritation. |
| Symptoms/injuries after skin contact | : Causes skin irritation. May cause an allergic skin reaction. |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. |
| Symptoms/injuries after ingestion | : May cause gastrointestinal irritation. |
| Chronic symptoms | : Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

| | |
|-------------------------------|------------------|
| TuffStuff 1285 White | |
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1263 Paint related material (including paint thinning, drying, removing, or reducing compound), 3, III
UN-No.(DOT) : 1263
DOT NA no. : UN1263
Proper Shipping Name (DOT) : Paint related material including paint thinning, drying, removing, or reducing compound
Department of Transportation (DOT) Hazard Classes : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 220 L
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

TuffStuff 1285 White

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

| Xylenes (o,m,p isomers) | CAS# 1330-20-7 |
|-------------------------|-------------------------------|
| Section 302 (EHS) TPQ | lb |
| Section 304 EHS RQ | lb |
| CERCLA RQ | 5000 lb |
| Section 313 | Listed on US SARA Section 313 |

| Ethylbenzene | CAS# 100-41-4 |
|-----------------------|-------------------------------|
| Section 302 (EHS) TPQ | lb |
| Section 304 EHS RQ | lb |
| CERCLA RQ | 5000 lb |
| Section 313 | Listed on US SARA Section 313 |

| Butyl Acetate | CAS# 123-86-4 |
|-----------------------|---------------|
| Section 302 (EHS) TPQ | lb |

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--------------------|---------|
| Section 304 EHS RQ | lb |
| CERCLA RQ | 5000 lb |
| Section 313 | |

| | |
|-------------------------|---------------------|
| ISOBUTYL ALCOHOL | CAS# 78-83-1 |
| Section 302 (EHS) TPQ | lb |
| Section 304 EHS RQ | lb |
| CERCLA RQ | 5000 lb |
| Section 313 | |

| | |
|-----------------------|-------------------------------|
| TOLUENE | CAS# 108-88-3 |
| Section 302 (EHS) TPQ | lb |
| Section 304 EHS RQ | lb |
| CERCLA RQ | 1000 lb |
| Section 313 | Listed on US SARA Section 313 |

| | |
|-----------------------|-------------------------------|
| BENZENE | CAS# 71-43-2 |
| Section 302 (EHS) TPQ | lb |
| Section 304 EHS RQ | lb |
| CERCLA RQ | 10 lb |
| Section 313 | Listed on US SARA Section 313 |

| | |
|-------------------------------|-------------------------------|
| Methyl isobutyl ketone | CAS# 108-10-1 |
| Section 302 (EHS) TPQ | lb |
| Section 304 EHS RQ | lb |
| CERCLA RQ | 5000 lb |
| Section 313 | Listed on US SARA Section 313 |

15.2. International regulations

CANADA

No additional information available.

15.3. US State regulations

California Proposition 65

This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

| | | | | |
|---|---|--|---|-----------------------------------|
| Ethylbenzene (100-41-4) | | | | |
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | | | |
|--|---|---|---|-----------------------------------|
| Ethylbenzene (100-41-4) | | | | |
| | | Female | | |
| Yes | No | No | No | |
| Titanium dioxide (13463-67-7) | | | | |
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| Yes | No | No | No | |
| Methyl isobutyl ketone (108-10-1) | | | | |
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| Yes | Yes | No | No | |
| Benzene (71-43-2) | | | | |
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| Yes | Yes | No | Yes | |
| Silica: Crystalline, quartz (14808-60-7) | | | | |
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| Yes | No | No | No | |
| Xylenes (o-, m-, p- isomers) (1330-20-7) | | | | |
| U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | | | |
| Ethylbenzene (100-41-4) | | | | |
| U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | | | |
| Titanium dioxide (13463-67-7) | | | | |
| U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List | | | | |
| Methyl isobutyl ketone (108-10-1) | | | | |
| U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | | | |
| Toluene (108-88-3) | | | | |
| U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List | | | | |
| Benzene (71-43-2) | | | | |
| U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | | | |

Tuff Stuff 1286 Gray Low VOC

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silica: Crystalline, quartz (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List


SECTION 16: Other information

Indication of changes : Revision 2.0: Updated.
Revision date : 12/19/2021
Other information : Author: MG.

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 2*
Flammability : 1
Physical : 0
Personal Protection : Splash goggles, Gloves, Synthetic apron, Vapor respirator

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this material under normal conditions. Any use of the material which is not in conformance with this Data Sheet or which involves using this material in combination with any other material or any other process is the responsibility of the user. All materials present unknown health hazards and should be used with caution. Although certain hazards are described herein, the manufacturer and its agents cannot guarantee that these are the only hazards which exist. Further, the manufacturer and its agents assume no responsibility for personal injury or property damage to vendors, users, or third-parties caused by this material. User assumes all risks associated with the use of this material.