



BOTTOM PAINT BUYING GUIDE

THE INDUSTRY'S BEST WRITTEN GUARANTEE*




Triple Strength Fouling Control



Colorkote™

- ▶ Triple biocide antifouling power – Ecomea*, Zinc Omadine, Copper Thiocyanate
- ▶ Vibrant Colors – 6 Basic Colors can be mixed to create thousands of custom colors
- ▶ Multi-season performance in fresh, brackish and saltwater conditions
- ▶ California Air Quality Compliant – 330 g/L VOC
- ▶ Compatible with all hull types – ideal for fiberglass, aluminum, and steel/iron hulls



Available in gallons and quarts

Advanced Fouling Control




Biocop TF™

- ▶ Advanced dual biocide PL3 technology
- ▶ Maximum protection available for fresh, brackish and saltwater
- ▶ Multi-season protection
- ▶ 38.06% Cuprous Oxide
- ▶ 4.14% Zinc Omadine
- ▶ Lloyd's Register certified



Available in gallons, quarts and pints



Bold Colors Block Barnacles

With Colorkote, 46,656 custom colors are possible by blending the 6 base colors above in various ratios.



*One year written warranty available through Sea Hawk Paints Certified Applicator.



FOULING CONTROL

Polishing Ablative



Cukote™

- ▶ Semi-hard, polishing ablative finish
- ▶ Multi-season protection
- ▶ 47.57% Cuprous Oxide
- ▶ Lloyd's Register certified

Available in gallons and quarts




Now available
330 G/L VOC
formulation



AF 33™

- ▶ Harder, polishing ablative finish
- ▶ Exceptional value multi-season coating
- ▶ 33.6% Cuprous Oxide – highest grade available
- ▶ Consistent viscosity, better flow and rollability
- ▶ Lloyd's Register certified

Available in gallons and quarts




Semi-Hard Hybrid Ablative



Talon™

- ▶ Value-priced
- ▶ 33.6% Cuprous Oxide
- ▶ Consistent viscosity, better flow and rollability

Available in gallons and quarts



Copper-Free




Smart Solution™

- ▶ Metal-free self-polishing ablative antifoulant
- ▶ Environmentally safe
- ▶ Compatible over most existing antifoulants
- ▶ Econea
- ▶ Lloyd's Register certified



*Available in gallons and quarts
Also available in pints for outdrives*




Water-Based



Monterey™

- ▶ Water-based semi-hard ablative finish
- ▶ Environmentally safe – low VOC's
- ▶ 54.67% Cuprous Oxide – highest grade available

Available in gallons and quarts



FOULING CONTROL

OVER **45** YEARS
Hand Crafted in *America!*SM

Hard Modified Epoxy

Tropikote™

- ▶ Hard, modified epoxy antifouling
- ▶ Protection in extreme tropical conditions
- ▶ 75.8% Cuprous Oxide (Highest in the Industry)

Available in gallons and quarts



Black 2145

Blue 2142



Dark Blue 2140

Green 2143

Sharkskin™

- ▶ High performance hard modified epoxy
- ▶ 45.2% Cuprous Oxide
- ▶ Consistent viscosity - better flow and rolling ability

Available in gallons and quarts



Black 6145

Blue 6142

Dark Blue 6140



Red 6141

Green 6143

Islands Double Protection

Islands 44 TF™

- ▶ Applies directly over tin-based paints
- ▶ Tin-free multi-season performance
- ▶ Highest grade of cuprous oxide available keeps barnacles away
- ▶ 32.7% Cuprous Oxide
- ▶ Econece biocide fights both hard and soft growth

Available in gallons and quarts



Black 1005TF

Blue 1002TF

Dark Blue 1030TF



Red 1001TF

Teal 1035TF

Islands 77 Plus™

- ▶ Dual-Biocide
- ▶ Highest Grade of Cuprous Oxide and Zinc Omadine Available
- ▶ Tin-Free Multi-Season Performance
- ▶ Consistent viscosity - better flow and rollability
- ▶ Harder self-polishing polymer binding system

Available in gallons and quarts



Black 7745

Blue 7742

Dark Blue 7730



Red 7741

Green 7733

Gray 7731

Download Technical and Safety Data Sheets at:
www.SeaHawkPaints.com/sdss-tdss




Aluminum Boat Paint

Aluma Hawk™

- ▶ Ideal for pontoons, jon boats and house boats
- ▶ Rust-inhibiting
- ▶ Topcoat and/or primer on raw aluminum, fiberglass and other substrates
- ▶ Safe for fresh or saltwater submersion

Available in gallons and quarts



Black AH7005

Jon Boat Blue AH7002

Jon Boat Green AH7033



Aluminum Gray AH7031

Jon Boat Tan AH7050

White AH7010

**Has no
fouling control
characteristics**

PRIMERS

High Build Epoxy Primer Systems

Premium Blister Protection with Microsheet Silicate Technology

Tuff Stuff is an extremely high-build two-part epoxy primer that dries fast, enabling application of a complete barrier system and bottom paint in just two days. Using microsheet silicate technology, millions of microscopic sheets overlap and build a 100% water barrier that protects the surface from moisture and water penetration.



Available in 2-gal kit or 1/2-gal kit.

Tuff Stuff™

- ▶ Highest build epoxy primer
- ▶ Low odor during application
- ▶ All-in-one osmosis protection
- ▶ 1:1 two-part ratio for easy mixing



Gray 1284



White 1285



Available in 1-gal kit

Tuff Stuff™ Low VOC

- ▶ Highest build low VOC epoxy primer
- ▶ Complies with strict California Air Quality VOC limits
- ▶ Low VOC's (280 g/L)
- ▶ 1:1 two-part ratio for easy mixing



Gray 1286



White 1287

Primer Systems



S-76 Tack Coat Primer


S-76 Tack Coat Primer is for use on properly prepared steel, aluminum or galvanized steel. S-76 is an anti-corrosive primer that is specifically designed for underwater metal surfaces including hulls, running gear, and the lower units of outboards and I/O's. It provides an excellent barrier to reduce pitting of the metal from galvanic corrosion. S-76 should be used in conjunction with Tuff Stuff Epoxy Primer prior to applying antifoulant/topcoat.

Barnacle Blocker™ Spray Primer

- ▶ Self-cleaning anti-corrosive primer
- ▶ Use on underwater metals including steel, cast iron, copper, bronze, lead and aluminum
- ▶ Reduces galvanic corrosion
- ▶ Zinc-free aerosol spray



12 oz.



Gray 505A



SH-984 Shawkocon™

Shawkocon is a fast drying, general purpose, below the waterline, anti-corrosive primer. A novel single component, fast drying anti-corrosive primer for underwater hull applications to fiberglass, steel, aluminum and wood. Its physical properties and excellent adhesion characteristics provide an easy to use multi-functional primer.

- ▶ Barrier / sealer coating over incompatible or unknown antifoulants to prevent cracking and promote adhesion of a new antifouling paint.
- ▶ An excellent barrier coat to reduce pitting of underwater metals from galvanic corrosion on running gear, lower units of outboards, keels, and I/O's, with or without existing intact paint.
- ▶ Prevents leaching of chemicals or colors from underlying coats of paint.
- ▶ Designed to use as part of a multi-coat system on all underwater hull metal surfaces in the pleasure craft market.
- ▶ Excellent replacement product for 1277 Barrier Coat Primer and 1283 Islands Prime.



TOUGH ON BARNACLES – QUALITY ASSURED!
www.SeaHawkPaints.com



OVER **45** YEARS
Hand Crafted in *America!* SM



Epoxy Resin System

Hawk Epoxy



Hawk Epoxy Base Resin

Premium quality, marine-grade epoxy resin used for general fiberglass repair and construction with superior adhesion strength, bonding, filling and moisture barrier.

Available in Quart (Size 1), Gallon (Size 2) & 5-Gallon (Size 3)

Hawk Epoxy Fillers



- F1 High Load Adhesive Fiber Filler
- F2 Structural Adhesive Filler
- F3 Light Density Adhesive Micro Fiber Filler
- F4 Bridging Adhesive Filler
- F5 Light Density Fairing Filler
- F6 MicroSphere Fairing Filler

Hawk Epoxy Catalysts

C1 Ultra Slow Cure Catalyst - Very slow cure speed at room temperature. 3:1 ratio R1 Resin to C1.

Available in .66-Pint (Size 1), .33-Gallon (Size 2) & 1.45-Gallon (Size 3)

C2 Slow Cure Catalyst - Slow cure speed. Compatible with higher temperatures. 5:1 ratio R1 Resin to C2.

Available in .4-Pint (Size 1), .8-Quart (Size 2) & .87-Gallon (Size 3)

C3 Fast Cure Catalyst - Fast cure speed. Compatible with cooler temperatures. 5:1 ratio R1 Resin to C3.

Available in .4-Pint (Size 1), .8-Quart (Size 2) & .87-Gallon (Size 3)

C5 Clear Finish Catalyst - Cures to a very clear finish. Longer cure time in warmer temperatures. 3:1 ratio R1 Resin to C5.

Available in .66-Pint (Size 1), .33-Gallon (Size 2) & 1.45-Gallon (Size 3)

Hawk Epoxy Pump Kits



Attaches directly to the resin and catalyst containers. Calibrated to yield the perfect mix ratio with one full pump stroke for both the resin and the catalyst.

Kit 30-KT for sizes 1 & 2. Kit 30-KT-S3 for size 3.

Klear Kote™ Table Top Resin



- ▶ Marine-grade, two-part epoxy system specifically for coating table tops, furniture and works of art that cures to a clear, glass-like surface
- ▶ Resists moisture, scratching and yellowing
- ▶ Exceptional self-leveling properties

Reducers & Solvents

2031 Islands 44 Reducer

2033 General Purpose Reducer

2035 High Temp Reducer (for use above 85°)

2053 VOC Exempt Reducer

2084 Tuff Stuff Reducer

S-80 Wax 'N' Grease Killer



Specialty Products

1280 Marine Paint Stripper

Environmentally safe formula that is biodegradable, nonflammable, low odor and has no methylene chloride or other harsh solvents. Removes many types of marine paints and varnishes, including copper-based antifoulings, enamels, teak oil finish, urethanes, rubber-based deck paints, latex, lacquers, etc.



S-90 Low VOC De-Waxing Etch & Cleaner

Provides deep penetrating and lifting action for removal of tough surface contaminants. With its penetrating action, it is effective on wax, oil residues, surface soiling contaminants, and mold spores. In addition, S-90 etches the surface to promote good adhesion for primers and antifoulants.

















OVER **45** YEARS
Hand Crafted in *America!*

Compatibility Chart

Last modified:
March 2023

Previous <i>Antifouling</i> New	AF 33 BIOCOP TF COLORKOTE CUKOTE CUKOTE 330 ISLANDS 44 TF ISLANDS 77 PLUS ISLANDS 99 PLUS MISSION BAY MONTEREY MISSION BAY CSF SMART SOLUTION TALON	ACT Aquaguard Aqua-One Black Widow* Fiberglass Bottomkote® Aqua HRT Eco* HRT Neptune* HRT Premium*	Hydrocoat*, Hydrocoat SR*, Hydrocoat Eco* Micron®: CSC, CSC HS, CF, Extra, Navigator, Extra SPC, WA Pacifica® Plus Odyssey HD* Ultima SR*, Ultima SSA*, Ultima Eco* Vivid* Trilux 33 Aerosol	SHARKSKIN TROPIKOTE TROPIKOTE BIOCIDE PLUS Fiberglass Bottomkote® NT Micron® 66 Protector* Trinidad (All)* Ultra-Kote Unepoxy HRT*
	Top-Performing Triple Biocide COLORKOTE			
Top-Performing Dual Biocide BIOCOP TF ISLANDS 77 PLUS ISLANDS 44 TF				
Self-Polishing/Ablative AF 33 CUKOTE CUKOTE 330 VOC ISLANDS 99 PLUS TALON				
Hard Modified Epoxy SHARKSKIN TROPIKOTE				
Water-Based MISSION BAY CSF MONTEREY				
Copper-Free MISSION BAY SMART SOLUTION				

Compatibility Chart Legend:



= Lightly sand and apply paint



= Heavily sand and apply paint

* Products noted as such are registered Trademarks of, or sold by Pettit (KopCoat), and or RPM International, Inc.

Amount of Paint Needed per Coat

Boat Length (Feet)	Per Coat
20-25	3 Quarts
25-30	1 Gallon
30-32	1 Gallon + 1 Quart
33-37	1 Gallon + 2 Quarts
38-40	1 Gallon + 3 Quarts
41-42	2 Gallons
43-44	2 Gallons + 1 Quart
45-46	2 Gallons + 2 Quarts
47-49	2 Gallons + 3 Quarts
50-52	3 Gallons
53-55	3 Gallons + 1 Quart
56-59	3 Gallons + 2 Quarts

* Amounts are estimates and may vary by boat and bottom paint applied. Please see product technical data sheets for exact coverage.

Download Technical and
Safety Data Sheets at:
www.SeaHawkPaints.com/sdss-tdss



Follow us on Facebook
Facebook.com/seahawkpaints



AkzoNobel



NEW NAUTICAL COATINGS, INC.
800.528.0997 U.S.A. Only • 727.523.8053 Int'l
Email: ContactUs@SeaHawkPaints.com
www.SeaHawkPaints.com

Sea
Hawk
PREMIUM YACHT FINISHES

